

DEKORATIVA




FL715



FL715	MATT BLACK	LED 32W, Lm 2500
FL715	PLATED GOLD	LED 32W, Lm 2500
FL715	MATT WHITE	LED 32W, Lm 2500

▪ **Dimension:**



FL715 MATT BLACK



FL715 PLATED GOLD




FL715 MATT WHITE

WL713



FL713	MATT BLACK	LED 2.5W, Lm 110
FL713	PLATED GOLD	LED 2.5W, Lm 110
FL713	MATT WHITE	LED 2.5W, Lm 110

▪ **Dimension:**



FL713 MATT BLACK



FL713 PLATED GOLD



FL713 MATT WHITE

DRL0022



DRL0022 MATT BLACK 5W, 220-240V/50Hz, CCT 3000K


DRL0022 SATIN NICKEL 5W, 220-240V/50Hz, CCT 3000K

▪ **Dimension:**



DRL0022 MATT BLACK

85mm



DRL0022 SATIN NICKEL

300mm

120mm

28mm

DRL0024



DRL0024 MATT BLACK 8W, 220-240V/50Hz, CCT 3000K

DRL0024 SATIN NICKEL 8W, 220-240V/50Hz, CCT 3000K

▪ **Dimension:**



110.5mm

180mm

30mm

DRL0024 MATT BLACK



DRL0024 SATIN NICKEL

FL602




FL602 MATT BLACK LED 32W, Lm 2500

FL602 PLATED GOLD LED 32W, Lm 2500

FL602 MATT WHITE LED 32W, Lm 2500

▪ **Dimension:**



FL602 MATT BLACK



FL602 PLATED GOLD



FL602 MATT WHITE



F-21055OK

F-21055OK WHITE E27, 40W


- **Material:** CABLE: black wire
METAL FINISHING: metal+black
SHADE: white linen
BODY: oak wood
BASE: metal+black

P-19040S-IR

P-19040S-IR GUN COLOR E27, 40W

- **Material:** CABLE: black wire 1.5m
CANOPY: metal, gun color
SHADE: metal, gun color


▪ **Dimension:**



P-19040S-IR



▪ **Dimension:**




F-21055OK

W-17041IR

W-17041IR GUN COLOR E27, 40W

- **Material:** CABLE: black wire
CANOPY: metal, gun color
SHADE: metal, gun color

▪ **Dimension:**




W-17041IR

F-18136

F-18136 GUN METAL E27, 60W

- **Material:** CABLE: black wire 2.1m
METAL FINISHING: gun metal
SHADE: black TC fabric
BASE: black marble

- **Dimension:**



F-18136




F-18137

F-18137 BLACK E27, 60W

- **Material:** CABLE: black wire 2.1m
METAL FINISHING: metal+black painting
BODY: metal+black painting
SHADE: KD black TC fabric
BASE: black marble

▪ **Dimension:**




F-18134

F-18134 BLACK+GOLD E27, 60W

- **Material:** CABLE: black wire 2.1m
METAL FINISHING: metal+black painting
+gold painting
SHADE: black TC fabric
BASE: metal+black painting+gold painting

▪ **Dimension:**



F-18134




F-18137

F-14430BK

F-14430BK BLACK E27, 60W

- **Material:** CABLE: black wire 2.1m
METAL FINISHING: matte black painting
SHADE: black fabric
FRAME: metal, matte black painting
BASE: black marble

▪ **Dimension:**




F-14430BK

F-17030

F-17030 ASH WOOD+WHITE E27, 60W

- **Material:** CABLE: black wire 2.1m
METAL FINISHING: black painting
BODY: ash wood
SHADE: wood with ash wood color
BASE: ash wood

▪ **Dimension:**




F-17030

F-17118

F-17118 BLACK E27, 60W

- **Material:** CABLE: black wire 2.1m
METAL FINISHING: metal+black painting
BODY: metal+black painting
SHADE: KD black TC fabric
BASE: black marble

▪ **Dimension:**



F-17118



P-19036S

P-19036L

P-19036L

P-19036L BLACK E27, 40W

- **Material:** CABLE: black wire 1.5m
CANOPY: metal, black
SHADE: metal, black+gold
- **Dimension:** Ø50*H150cm

P-19036S

P-19036S GREY+GOLD E27, 40W

- **Material:** CABLE: black wire 1.5m
CANOPY: metal, black
SHADE: metal, black+gold
- **Dimension:** Ø28*H150cm



F-15004

F-15004 BLACK E27, 60W

- **Material:** CABLE: black wire 2.1m
METAL FINISHING: metal+grey painting
FRAME: metal, black
SHADE: metal, black painting
- **Dimension:** L50*W50*H196mm

P-19036L



P-18131RD

P-18131RD RUST E27, 40W

- **Material:** CABLE: black wire 1.5m
METAL FINISHING: metal+rust finish
CANOPY: metal+rust finish
SHADE: metal+rust finish

- **Dimension:** L49*W49*H150mm



P-18131RD

F-18131L-RD

F-18131L-RD RUST E27, 60W

- **Material:** CABLE: black wire 2.1m
METAL FINISHING: metal+rust finish
BASE: metal+rust finish
SHADE: metal+rust finish

- **Dimension:** L49*W49*H165mm



F-18131L-RD



MD6901-6A

MD6901-6A

MD6901-6A GOLD PAINTED FRAME 6xG9

▪ **Dimension:** Ø580xH580mm

9720

9720 CHROME FRAME 8xE14

▪ **Dimension:** L525xW270xH500mm



9720



MD6910-6A

MD6910-6A

MD6910-6A GOLD PAINTED FRAME 6xG9

▪ **Dimension:** Ø650xH650mm





R822-SS, R822-SL, R822-M1

R822-SS/SL/M1



R822-SS GOLD LED, 12W, 220-240V, 960lm, 4000K

▪ **Dimension:** Ø260*H65mm

R822-SL GOLD LED, 18W, 220-240V, 1440lm, 4000K

▪ **Dimension:** Ø330*H65mm

R822-M1 GOLD LED, 24W, 220-240V, 1920lm, 4000K

▪ **Dimension:** Ø380*H68mm



R910-SS, R910-SL, R910-M1

R910-SS/SL/M1



R910-SS COFFEE LED, 12W, 220-240V, 960lm, 4000K

▪ **Dimension:** Ø260*H65mm

R910-SL COFFEE LED, 18W, 220-240V, 1440lm, 4000K

▪ **Dimension:** Ø330*H65mm

R910-M1 COFFEE LED, 24W, 220-240V, 1920lm, 4000K

▪ **Dimension:** Ø380*H68mm



R917-SS, R917-SL, R917-M1

R917-SS/SL/M1



R917-SS GREY LED, 12W, 220-240V, 960lm, 4000K

▪ **Dimension:** Ø260*H65mm

R917-SL GREY LED, 18W, 220-240V, 1440lm, 4000K

▪ **Dimension:** Ø330*H65mm

R917-M1 GREY LED, 24W, 220-240V, 1920lm, 4000K

▪ **Dimension:** Ø380*H68mm



R890-M1

R890-M1



R890-M1 WHITE COFFEE+LED 24W, 220-240V, 1920lm, 4000K

- **Dimension:** Ø400*H75mm



R893-M1

R893-M1



R893-M1 BLACK GOLD+LED 24W, 220-240V, 1920lm, 4000K

- **Dimension:** Ø400*H75mm

R874-SS/SL



R874-SS WHITE GREY LED, 12W, 220-240V, 960lm, 4000K

- **Dimension:** Ø260*H60mm

R874-SL WHITE GREY LED, 18W, 220-240V, 1440lm, 4000K

- **Dimension:** Ø330*H60mm



R874-SS, R874-SL





P1, P4 NET

P1 NET BLACK 1 x MAX 40W E27 230V

P4 NET BLACK 4 x MAX 40W E27 230V

▪ **Dimension:**



P1 NET



P4 NET






SL ANTIQ 1/2/3

SL ANTIQ 1 BLACK IP20 1 x MAX 40W E14 230V

SL ANTIQ 2 BLACK IP20 2 x MAX 40W E14 230V

SL ANTIQ 3 BLACK IP20 3 x MAX 40W E14 230V

▪ **Dimension:**



SL ANTIQ 1



SL ANTIQ 3



SL ANTIQ 2






SL NET 1/2/3

SL NET 1 BLACK IP20 x MAX 40W E14 230V

SL NET 2 BLACK IP20 2 x MAX 40W E14 230V

SL NET 3 BLACK IP20 3 x MAX 40W E14 230V

• **Dimension:**



SL NET 1



SL NET 3







SL NET 2



SL ROTO 1/2/3/3R/4

SL ROTO 1	WHITE	IP20 1 x MAX 35W GU10 230V
SL ROTO 2	WHITE	IP20 2 x MAX 35W GU10 230V
SL ROTO 3	WHITE	IP20 3 x MAX 35W GU10 230V
SL ROTO 3R	WHITE	IP20 3 x MAX 35W GU10 230V
SL ROTO 4	WHITE	IP20 4 x MAX 35W GU10 230V

▪ **Dimension:**



SL ROTO 3



SL ROTO 1



SL ROTO 4



SL ROTO 2



SL ROTO 3R



AF8006

AF8006 BRASS+SMOKY GREY 8*E-27

AF8006 BLACK+SMOKY GREY 8*E-27

▪ **Dimension:** L960*H360mm



AF8006 BLACK+SMOKY GREY



AF8006 BRASS+SMOKY GREY

LOFT338-12

LOFT338-12 MATT BLACK+COGNAC GLASS

▪ **Dimension:** D1050*550mm



LOFT338-12



AF8081-6/8/10

AF8081-6 BLACK+SMOKY GREY 6*E-27

▪ **Dimension:** D950*H950mm

AF8081-8 BLACK+SMOKY GREY 8*E-27

▪ **Dimension:** D1060*H1050mm

AF8081-10 BLACK+SMOKY GREY 10*E-27

▪ **Dimension:** D1200*H1150mm



AF8081-10



AF8081-8



AF8081-6



AF8082-4/6/8

AF8082-4 BLACK/BRASS+MILK WHITE 4*G9

▪ **Dimension:** D1400*H800mm

AF8082-6 BLACK/BRASS+MILK WHITE 6*G9

▪ **Dimension:** D1400*H900mm

AF8082-8 BLACK/BRASS+MILK WHITE 8*G9

▪ **Dimension:** D1400*H1000mm



AF8082-6



AF8082-8



AF8082-4

INTERNO-P

INTERNO-P-400/30 SWH CCT, 30W, 3625lm

INTERNO-P-400/30 SBK CCT, 30W, 3625lm

INTERNO-P-400/30 BGD CCT, 30W, 3625lm

▪ **Dimension:** Ø400*1500mm

INTERNO-P-600/40 SWH CCT, 40W, 4800lm

INTERNO-P-600/40 SBK CCT, 40W, 4800lm

INTERNO-P-600/40 BGD CCT, 40W, 4800lm


▪ **Dimension:** Ø600*1500mm



INTERNO-P-400/30 BGD
INTERNO-P-600/40 BGD



INTERNO-P-400/30 SBK
INTERNO-P-600/40 SBK



INTERNO-P-400/30 SWH
INTERNO-P-600/40 SWH

CERCHIO-P-1180/100



CERCHIO-P-1180/100	SANDY SWH	3000K, 100W, 11000lm
CERCHIO-P-1180/100	SANDY SWH	4000K, 100W, 11000lm
CERCHIO-P-1180/100	SANDY BLACK	3000K, 100W, 11000lm
CERCHIO-P-1180/100	SANDY BLACK	4000K, 100W, 11000lm
CERCHIO-P-1180/100	SANDY BRUSHED GOLD	3000K, 100W, 11000lm
CERCHIO-P-1180/100	SANDY BRUSHED GOLD	4000K, 100W, 11000lm

▪ **Dimension:** Ø1180*2000mm



CERCHIO-P-1180/100 SANDY SWH

CERCHIO-P-1180/100 SANDY BRUSHED GOLD



CERCHIO-P-1180/100 SANDY BLACK



LINEA-P-1180/40 SBK



LINEA-P-1180/40 SWH

LINEA-P-1180/40



LINEA-P-1180/40	SWH	3000K, 40W, 4400lm
LINEA-P-1180/40	SWH	4000K, 40W, 4400lm
LINEA-P-1180/40	SBK	3000K, 40W, 4400lm
LINEA-P-1180/40	SBK	4000K, 40W, 4400lm

▪ **Dimension:** Ø1180*50*1500mm

SOTTILMENTE

SOTTILMENTE-C300/28	SWH	3000K, 28W, 3360lm
SOTTILMENTE-C300/28	SWH	4000K, 28W, 3360lm
SOTTILMENTE-C300/28	SBK	3000K, 28W, 3360lm
SOTTILMENTE-C300/28	SBK	4000K, 28W, 3360lm
SOTTILMENTE-C300/28	BGD	3000K, 28W, 3360lm
SOTTILMENTE-C300/28	BGD	4000K, 28W, 3360lm

▪ Dimension: Ø300*50mm

SOTTILMENTE-C400/35	SWH	3000K, 35W, 4200lm
SOTTILMENTE-C400/35	SWH	4000K, 35W, 4200lm
SOTTILMENTE-C400/35	SBK	3000K, 35W, 4200lm
SOTTILMENTE-C400/35	SBK	4000K, 35W, 4200lm
SOTTILMENTE-C400/35	BGD	3000K, 35W, 4200lm
SOTTILMENTE-C400/35	BGD	4000K, 35W, 4200lm

▪ Dimension: Ø400*50mm

SOTTILMENTE-C500/45	SWH	3000K, 45W, 5400lm
SOTTILMENTE-C500/45	SWH	4000K, 45W, 5400lm
SOTTILMENTE-C500/45	SBK	3000K, 45W, 5400lm
SOTTILMENTE-C500/45	SBK	4000K, 45W, 5400lm
SOTTILMENTE-C500/45	BGD	3000K, 45W, 5400lm
SOTTILMENTE-C500/45	BGD	4000K, 45W, 5400lm

▪ Dimension: Ø500*50mm

SOTTILMENTE-C600/55	SWH	3000K, 55W, 6600lm
SOTTILMENTE-C600/55	SWH	4000K, 55W, 6600lm
SOTTILMENTE-C600/55	SBK	3000K, 55W, 6600lm
SOTTILMENTE-C600/55	SBK	4000K, 55W, 6600lm
SOTTILMENTE-C600/55	BGD	3000K, 55W, 6600lm
SOTTILMENTE-C600/55	BGD	4000K, 55W, 6600lm

▪ Dimension: Ø600*50mm



SOTTILMENTE-C300/28 BGD



SOTTILMENTE-C300/28 SBK



SOTTILMENTE-C300/28 SWH



SOTTILMENTE-C400/35 BGD



SOTTILMENTE-C400/35 SBK



SOTTILMENTE-C400/35 SWH



SOTTILMENTE-C500/45 BGD



SOTTILMENTE-C500/45 SBK



SOTTILMENTE-C500/45 SWH



SOTTILMENTE-C600/55 BGD



SOTTILMENTE-C600/55 SWH



SOTTILMENTE-C600/55 SBK

TL-02 PRO

TL-02 PRO RUST 2.2W, 190Lm, 2700K, Ra98

- **Including:** BLACK WIRELESS CABLE
WHITE USB CABLE
WHITE EU PLUG (5V 2A)

TL-02 PRO BLACK 2.2W, 190Lm, 2700K, Ra98

- **Including:** BLACK WIRELESS CHARGER
BLACK USB CABLE
BLACK EU PLUG (5V 2A)

TL-02 PRO WHITE 2.2W, 190Lm, 2700K, Ra98

- **Including:** BLACK WIRELESS CHARGER
WHITE USB CABLE
WHITE EU PLUG (5V 2A)

- **Dimension:** 380xØ110mm

WIRELESS CHARGER



TL-02 PRO RUST



TL-02 PRO BLACK



TL-02 PRO WHITE



TL-15 PRO

TL-15 PRO CHAMPAGNE 1.9W, 130Lm, 2700K, Ra98

- **Including:** BLACK WIRELESS CABLE
WHITE USB CABLE
WHITE EU PLUG (5V 2A)

TL-15 PRO GREY 1.9W, 130Lm, 2700K, Ra98

- **Including:** BLACK WIRELESS CHARGER
WHITE USB CABLE
WHITE EU PLUG (5V 2A)

- **Dimension:** 280xØ100mm

COVER FOR TL-15 SMOKY WAVE

COVER FOR TL-15 CLEAR WAVE



TL-15 PRO CHAMPAGNE



TL-15 PRO GREY



COVER FOR TL-15 SMOKY WAVE



COVER FOR TL-15 CLEAR

WIRELESS CHARGER



TL-17 PRO

TL-17 PRO BLACK 1.5W, 100Lm, 2700K, Ra95

▪ **Including:** BLACK WIRELESS CHARGER
BLACK USB CABLE
BLACK EU PLUG (5V 2A)

▪ **Dimension:** 255xØ160mm



TL-17 PRO BLACK

TL-14 PRO

TL-14 PRO TERRACOTTA 1.9W, 120Lm, 2700K, Ra98

TL-14 PRO TURQUOISE 1.9W, 120Lm, 2700K, Ra98

▪ **Including:** BLACK WIRELESS CHARGER
BLACK USB CABLE
BLACK EU PLUG (5V 2A)

▪ **Dimension:** 275xØ120mm



TL-14 PRO TERRACOTTA



TL-14 PRO TURQUOISE



LED-CL8



CL8-D220-12RD 12W, 220/240v 80Ra, 4000K, 1080Lm, IP44

▪ **Dimension:** Ø220*56.4mm

CL8-D330-30RD 30W, 220/240v 80Ra, 4000K, 2700Lm, IP44

▪ **Dimension:** Ø330*56.4mm

CL8-D220-12SE 12W, 220/240v 80Ra, 4000K, 1080Lm, IP44

▪ **Dimension:** 220*220*56.4mm

CL8-D280-18SE 18W, 220/240v 80Ra, 4000K, 1620Lm, IP44

▪ **Dimension:** 280*280*56.4mm

CLM-D280 18W, 220/240v 80Ra, 4000K, 1500Lm, IP44

▪ **Dimension:** Ø280*56.4mm



CL8-D220-12SE



CL8-D220-12RD



CL8-D330-30RD



CL8-D280-18SE

DBL0007

DBL0007 SATIN NICKEL IP44, 12W, 3000K

DBL0007 CHROME IP44, 12W, 3000K

▪ **Dimension:** 486mm



DBL0007 SATIN NICKEL



DBL0007 CHROME



LED LINEAR LIGHT 3L931040



3L931040 WHITE ALUMINIUM BODY 0.9mm, PC DIFFUSER, 40W, 4800LM, 220-240V, 4000K, ISOLATED LIFUD DRIVER, PF0.9

- **Including:** 2 PCS HANGING WIRE
1 WHITE STAND
2 PCS SURFACE MOUNTED CLIPS
5 YEARS WARRANTY
- **Dimension:** 1200*50*75mm

3L931040 BLACK ALUMINIUM BODY 0.9mm, PC DIFFUSER, 40W, 4600LM, 220-240V, 4000K, ISOLATED LIFUD DRIVER, PF0.9

- **Including:** 2 PCS HANGING WIRE
1 BLACK STAND
2 PCS SURFACE MOUNTED CLIPS
5 YEARS WARRANTY
- **Dimension:** 1200*50*75mm



SR20002-CCT

SR20003-CCT

SR20002-CCT BLACK 24W, CCT, 2200lm

SR20002-CCT WHITE 24W, CCT, 2200lm

▪ **Dimension:** Ø300*25mm

SR20003-CCT BLACK 36W, CCT, 4029lm

SR20003-CCT WHITE 36W, CCT, 4029lm

▪ **Dimension:** Ø400*25mm



SR20002-CCT BLACK
SR20003-CCT BLACK



SR20002-CCT WHITE
SR20003-CCT WHITE

ST-S300/500F

ST-S300F 24W, 220-240V, 2000lm, CCT

▪ **Dimension:** Ø305*45mm

ST-S500F 48W, 220-240V, 4000lm, CCT

▪ **Dimension:** Ø504*45mm



ST-S300F



ST-S500F

P-CH05-1






P-CH05-1 40W, 220-240V, 3200lm, 4000K, CCT, PF0.9

▪ **Dimension:** 500*720mm



P-CH05-1

LED MAGNETIC TRACK LIGHT

LED-L001	BLACK/WHITE	48VDC, 6W, 400lm, 3000K, Ra90, Beam Angle 60°, IP20, Reflector+PC lens	
▪ Dimension: 120*22*95mm			
LED-L001	BLACK	48VDC, 12W, 800lm, 3000K, Ra90, Beam Angle 60°, IP20, Reflector+PC lens	
▪ Dimension: 220*22*95mm			
LED-L007	BLACK	48VDC, 12W, 800lm, 3000K, Ra90, Beam Angle 60°, IP20, Reflector+PC lens	
LED-L007	BLACK/WHITE	48VDC, 18W, 800lm, 3000K, Ra90, Beam Angle 60°, IP20, Reflector+PC lens	
▪ Dimension: 303*23*47mm			
LED-L006	BLACK/WHITE	48VDC, 5W, 350lm, 3000K, Ra90, Beam Angle 60°, IP20, Reflector+PC lens	
▪ Dimension: 126*30*145mm			
DRIVER HM09	BLACK/WHITE	AC220-240V, 50/60Hz, 100W, 48VDC, OUTPUT 30cm, 48V IN TRACK DRIVER, 30cm INPUT CABLE, IP20	
DRIVER HM09	BLACK/WHITE	AC220-240V, 50/60Hz, 200W, 48VDC, OUTPUT 30cm, 48V IN TRACK DRIVER, 30cm INPUT CABLE, IP20	



LED-L001 6W
BLACK



LED-L001 6W
WHITE



LED-L006 5W BLACK



LED-L006 5W WHITE



LED-L001 12W



DRIVER HM09 BLACK



LED-L007 12W



LED-L007 18W BLACK



BLACK



LED-L007 18W WHITE



WHITE

LED MAGNETIC TRACK LIGHT

HM22-0014	BLACK/WHITE	STRAIGHT MIDDLE CONNECTOR
HM22-0015	BLACK/WHITE	SOFT MIDDLE CONNECTOR
HM22-0016	BLACK/WHITE	DC POWER INPUT CONNECTOR 15m WIRE
HM22-0004	BLACK	1m RECESSED TRACK RAIL, WITH END CAP, WITH OVERLAY
HM22-0004	BLACK/WHITE	2m RECESSED TRACK RAIL, WITH END CAP, WITH OVERLAY
HM22-0012	BLACK/WHITE	90° HORIZONTAL CORNER FOR RECESSED TRACK RAIL
HM22-0013	BLACK/WHITE	90° VERTICAL CORNER FOR RECESSED TRACK RAIL
HM22-0001	BLACK	1m SURFACE TRACK RAIL, WITH END CAP, WITH OVERLAY
HM22-0001	BLACK/WHITE	2m SURFACE TRACK RAIL, WITH END CAP, WITH OVERLAY
HM22-0010	BLACK/WHITE	90° HORIZONTAL CORNER FOR SURFACE TRACK RAIL
HM22-0011	BLACK/WHITE	90° VERTICAL CORNER FOR SURFACE TRACK RAIL
HM22-0020	BLACK	INSTALLATION CLIP FOR SURFACE TRACK RAIL
HM22-0021	BLACK	INSTALLATION CLIP FOR RECESSED TRACK RAIL



HM22-0014



HM22-0015



HM22-0013 BLACK



HM22-0013 WHITE




HM22-0012 BLACK



HM22-0012 WHITE



HM22-0016



HM22-0010 BLACK



HM22-0010 WHITE



HM22-0004 BLACK



HM22-0004 WHITE



HM22-0020



HM22-0011 BLACK



HM22-0011 WHITE



HM22-0001 BLACK



HM22-0001 WHITE



HM22-0021